## RECEIVED UENTRAL FAX CENTER

NO. 0451 P. 5

JUL 0 8 2008

<u>Patents</u>

Serial No.: 10/766,129

Response to Final Office Action of February 6, 2008

Page 2 of 9

## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

Claim I (currently amended). A method for identifying a telephone number to a computer system for processing routing a telephone call over the Internet through a packet switched data network to a user assigned to said a telephone number or a proxy thereof comprising:

receiving data entered into said a computer system by a caller through a web browser;

searching said data for said telephone number or a proxy representing said telephone number;

if said telephone number is found in said data, processing routing said telephone call through a packet switched data network to said user assigned to said telephone number telephone number if said telephone number is found in said data; and

if said proxy is found in said data, accessing a name server to translate said proxy into said telephone number and routing said telephone call through a packet switched data network to said user assigned to said telephone number. for return to said computer system for processing said telephone call if said telephone number is not found in said data.

Claim 2 (previously presented). The method recited in claim 1, wherein the web browser translates the proxy in accordance with an established protocol.

Patent

Serial No.: 10/766,129

Response Dated July 8, 2008

Response to Final Office Action of February 6, 2008

Page 3 of 9

Claim 3 (previously presented amended). The method recited in claim 2, wherein the

protocol is the dialto protocol.

Claim 4 (previously presented). The method recited in claim 1, wherein the web browser

creates search hook objects from said data entered into the computer system to translate

said data when the web browser is unable to identify the established protocol.

Claim 5 (previously presented). The method recited in claim 4, wherein data that cannot

be translated using search hook objects is transferred back to the web browser.

Claim 6 (previously presented). The method recited in claim 1, wherein said name server

can store a proxy for a telephone number.

Claim 7 (previously presented). The method recited in claim 6, wherein the web browser

provides a sub-window within the main web browser window on the computer system

wherein a proxy for a telephone number can be created and stored for later access.

Claim 8 (previously presented). The method recited in claim 7, wherein the proxy

consists of a name, letters, numbers, or symbols.

Claim 9 (currently amended). A method of parsing through a web page pages to identify

a telephone number or a proxy comprising the steps of:

using a specified predictive or adaptive algorithm to detect a telephone number

string data within the plain text of said web page;

Serial No.: 10/766,129
Response Dated July 8, 2008
Response to Final Office Action of February 6, 2008
Page 4 of 9

transforming each identified said telephone number string that is detected into a URI; and

providing a user with the transformed telephone number as a URI.

displaying said URI as a hyperlink.

Claim 10 (previously presented). The method recited in claim 9, wherein the URI is provided to said computer system as a hyperlink on the web browser.

Claim 11 (previously presented). The method recited in claim 9, wherein the web browser dials the telephone number associated with said URI.

Claim 12 (previously presented). The method recited in claim 11, wherein said web browser dials the telephone number through a distributed proxy server.

Claim 13 (previously presented). The method recited in claim 11, wherein said web browser dials the telephone number through an IP gateway.

Claim 14 (currently amended). A system that allows users to place and receive for placing and receiving calls using a web browser, said system comprising:

a computer connected to a <del>computer</del> <u>packet switched data</u> network; said computer equipped with a web browser;

said web browser with the ability enabled to parse a web pages and identify a telephone number detect a telephone number string within the plain text of said web page;

Patents

Serial No.: 10/766,129

Response Dated July 8, 2008
Response to Final Office Action of February 6, 2008

Page 5 of 9

said web browser enabled to convert a <u>transform said</u> detected telephone number <u>string</u> into a URI-and provide the URI as a hyperlink;

said computer enabled to obtain and display the said URI provided by the web browser as a hyperlink; and

said web browser enabled to connect a user of the system with the telephone number associated with the URI by dialing the telephone number associated with the URI.

said computer enabled to route a telephone call through said packet switched data network using said URI upon selection of said hyperlink by a user.

Claim 15 (previously presented). The system recited in claim 14, wherein telephone numbers can be dialed using the computer network or a circuit switched telecommunication network.